

The Following orchid species have been recorded from Verloren Valei Nature Reserve with flowering times indicated

This list has been drawn up from 20 years observation at Verloren Valei

Name	S	O	N	D	J	F	M	A	M	Year	Veld Types					
											RV	DR	G	DG	V	VE
1 <i>Holothrix scopularia</i>			x	x	x					1990	x					
2 <i>Neobolusia tysonii</i>				x	x	x				1990						x
3 <i>Schizochilus ceciliae</i> ssp. <i>culveri</i>				x	x	x	x			1990		x				
4 <i>Schizochilus zeyheri</i>				x	x	x	x			1990				x		x
5 <i>Habenaria laevigata</i>				x						1999			x			
6 <i>Habenaria dives</i>					x	x				1990			x			
7 <i>Habenaria tysonii</i>				x	x					1991	x		x			
8 <i>Habenaria clavata</i>					x					1998			x			
9 <i>Habenaria dregeana</i>				x						1990			x			
10 <i>Habenaria</i> species.?							x			1991			x			
11 <i>Disa baurii</i>	x	x								2009			x			
12 <i>Disa saxicola</i>					x					1992	x					
13 <i>Disa stachyoides</i>			x	x	x					1990			x			
14 <i>Disa alticola</i>				x	x					1991		x				
15 <i>Disa patula</i> var. <i>transvaalensis</i>					x	x	x			1990			x			
16 <i>Disa nervosa</i>					x	x				1990			x			
17 <i>Disa cooperi</i>				x	x	x				1990			x			
18 <i>Disa maculomarronina</i>					x	x				1990			x	x		
19 <i>Disa rhodantha</i>				x	x	x	x			1990				x		x
20 <i>Disa versicolor</i>				x	x	x				1990			x	x		
21 <i>Disa aconitoides</i>			x	x	x					1991			x			
22 <i>Disa chrysostachya</i>			x	x	x	?				1989						x
23 <i>Disa brevicornis</i>					x	x	x			1991			x			
24 <i>Brownleea galpinii</i>						x	x			1990					x	x
25 <i>Brownleea parviflora</i>						x	x			1990		x				

Name	S	O	N	D	J	F	M	A	M	Year	Veld Types					
											RV	DR	G	DG	V	VE
26						X	X			1990			X			
27			X	X	X	X	X	X		1990			X	X		X
28				X	X	X	X			1990				X		X
29				X	X	X	X	X		1990	X	X		X		X
30					X	X	X			1990				X		
31					X	X	X	X	X	1990				X	X	X
32			X	X						1990						X
33			X	X	X					1990					X	X
34					X	X	X			1990				X		X
35						X				1990				X		X
36						X				1990			X			
37				X	X	X	X			1990			X			
38				X	X	X				1990			X			
39				X	X	X				1990		X		X		
40					X	X				1990						X
41					X	X	X			1990			X	X		X
42					X	X				1994				X		
43						X	X			1990			X	X		
44						X				1990			X			
45				X	X	X	X			1991			X			
46				X	X	X				1990	X		X			
47						X				1992			X			
48			X	X						1992			X			
49					X					1993	X					
50			X	X	X					1990	X		X			

51	<i>Eulophia aculeata</i>				x							1991			x			
Name		S	O	N	D	J	F	M	A	M		Year	Veld Types					
													RV	DR	G	DG	V	VE
52	<i>Eulophia huttonii</i>			x	x							1990			x			
53	<i>Eulophia vinosa</i>	x										1996			x			
54	<i>Eulophia leontoglossa</i>				x	x						2000			x			
55	<i>Eulophia zeyheri</i>					x	x					2011			x			

Note:

The *Eulophia clavicornis* group are problematic and we will have to study them again to see if the new names like *Eulophia hians* apply to them. We think that will be the case. If the Field Guide to the Orchids of Northern South Africa and Swaziland is followed these two species may split into four species.

- RV Rocky outcrops or hills with vegetation even grass
- DR Shallow damp soil over rock layer
- G Basically grassland
- DG Damp grassland – the bulk of Verloren Valei is damp grassland
- V Vlei
- VE Edge of a vlei or stream.